Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6393419").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 14:49
L2	2	"804034".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 14:55
L3	494196	((detect\$3 or monitor\$3 or analyz\$4 or control\$4) with chang\$3) and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2004/12/22 14:57
			IBM_TDB	ė v		
L4	8377	3 and (updat\$ with status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 14:58
L5	30742	updat\$3 with record\$4	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2004/12/22 14:58
			DERWENT; IBM_TDB			
L6	1726	4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 14:59
L7	478	6 and (task\$3 with operat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2004/12/22 15:00
		4 4 mm	IBM_TDB		1 8	
L8	82	7 and (document with form)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:01

						
L9	63	8 and server and clients	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:01
L10	· 49	9 and (common with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:02
L11	1	9 and (array with record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:10
L12	2	("6718507").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		OFF	2004/12/22 15:08
L13	42	10 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:09
L14	58	8 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:14
L15	1	14 and (array with record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:10
L16	7	14 and ((array or hierarch\$4 or tree) with record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:12

L17	3200	(application with program) with updat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:12
L18	526	17 and (updat\$3 with status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:12
L19	96	18 and ((form or templat\$3) with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:13
L20	31	19 and ((period\$6 or schedule) with updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2004/12/22 15:24
L21	10	20 and @ad<"20010313"	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:24
L22	400162	detect\$3 with chang\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:23
L23	61	22 and (shar\$3 with database) and (updat\$ with form)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:23
L24	32	23 and ((period\$6 or schedule) with updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 15:24

L25	19	24 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2004/12/22 16:24
L26	28336	(shar\$3 with (form or templat\$3)) and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:08
L27	60	26 and (transaction with log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:08
L28	9	27 and (updat\$3 with status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:19
L29	4	27 and (updat\$3 with (period\$5 or schedule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:20
L30	68	22 and (shar\$3 with database) and (updat\$ with (form or templat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:23
L31	33	30 and @ad<"20010313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:33
L32	1	31 and (707/200).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:34

S4 0 ("20010049615").PN. USPAT OR	OFF OFF	2004/12/22 16:34
USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		2004/12/22 16:34
S2	OCC	
USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	UFF	2004/12/16 11:16
S4 0 ("20010049615").PN. USPAT OR S5 2 ("20010049615").PN. US-PGPUB; USPAT; USOCR; EPO; JPO;	OFF	2004/12/16 11:59
S5 2 ("20010049615").PN. US-PGPUB; OR USPAT; USOCR; EPO; JPO;	OFF	2004/12/16 11:31
USPAT; USOCR; EPO; JPO;	OFF	2004/12/16 11:32
IBM_TDB	OFF	2004/12/16 11:47
S6 2 ("20010047276").PN. US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OFF	2004/12/16 11:47
S7 43561 (exchange with (suppl\$4)) US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OFF .	2004/12/16 12:00
S8 388 S7 and (match\$3 with product\$4) US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OFF	2004/12/16 12:01
S9 111 S8 and (catalog with suppli\$4) US-PGPUB; OR USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OFF	2004/12/16 12:02

	· · · · · · · · · · · · · · · · · · ·					
S10	1	S9 and (build\$4 with tool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:03
S11	101	S9 and (build\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:03
S12	98	S11 and buy\$4 and sell\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:04
S13	96	S12 and @ad<"20020129"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:04
S14	0	S13 and (exchange with catalog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:05
S15	0	S13 and (exchange with categor\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:05
S16	96	S13 and (exchange with product\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:28
S17	1	S16 and fulfill\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:41

040			LIC DCDUD	00	OFF	2004/12/16 12:42
S18	0	S16 and (search\$ with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:42
S19	95	S16 and (integrat\$ with solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:42
S20	1	S16 and (integrat\$ adj solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:43
S21	1	S16 and (search\$3 with catalog)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 12:43



Web Images Groups New! News Froogle more »

share form application update notification o

W b Results 1 - 10 of about 132,000 for share f rm application update notificati n open version simultane

College of Education: Texas Tech University, Lubbock, Texas

... program for which a user license must be purchased to create web **forms** and databases like ... **Open** and Configure Web Security database (local **version**) ... www.educ.ttu.edu/howto/filemaker_**forms**.html - 25k - <u>Cached</u> - <u>Similar pages</u>

iPlanet Web Proxy Server 3.6 Administrator's Guide - Unix Version ...

... with clients that **open** multiple **simultaneous** connections, such as Navigator, ... view or modify the **notify** num changes setting on the Cache Tuning **form**. ... docs.sun.com/source/816-6143-10/tuning.htm - 72k - <u>Cached</u> - <u>Similar pages</u>

[PDF] version 1.0

File Format: PDF/Adobe Acrobat - View as HTML

... onto the CubicEye application icon, etc., as well as with the Open command on the

... open single cubes, while the full version of the CubicEye can open ...

www.2ce.com/dl/CubicEye.pdf - Similar pages

Windows Forms: Give Your .NET-based Application a Fast and ...

... the shared threads in the thread pool, improving your **application's** overall ... In practice, most Windows **Forms applications** end up having a single ...

msdn.microsoft.com/msdnmag/issues/03/02/Multithreading/ - 59k - Cached - Similar pages

Registry Edits for Windows XP

... Content Update Notification ||| The Elder Geek on Windows XP Forum Is Open for

... aware program, and there is already an Internet Explorer window open, ...

www.theeldergeek.com/registry_edits.htm - 93k - <u>Cached</u> - <u>Similar pages</u>

Open Directory - Computers: Software: Freeware: Internet

... Catch-UP - Use the software to **update** your **applications** and hardware drivers

... Net Launch - Starts all of your internet applications when you open the ...

dmoz.org/Computers/Software/Freeware/Internet/ - 32k - Cached - Similar pages

Draft MARINet Board Minutes

... BIN (Berkeley Information Network) to share their application form with us,

... It will be available only when the library is open and if the meeting ...

www.marinet.info/brdminutes/991028m.html - 9k - Cached - Similar pages

Speed-start your Linux application 2003: Installing DB2 Version 8.1

... Speed-start your Linux application 2003: Installing DB2 Version 8.1 ... which allows only a couple of simultaneous connections to DB2. ...

www-900.ibm.com/developerWorks/cn/ linux/linux-speed-start/l-ss3-db2/index_eng.shtml - 41k -

Cached - Similar pages

Symbian: Technology: Symbian OS v8.1 Functional Description

... application update notification for installed applications. ... OS kits include GCC 2.98, a modified version of the open-source GNU C++ compiler. ...

www.symbian.com/technology/symbos-v81-det.html - Similar pages

EMSL Collaboratory - Accessing the EMSL Remotely


... chat, shared whiteboards, shared applications (from Word and Excel to ... and office applications); workflow (email or other notification of new entries ...

collaboratory.emsl.pnl.gov/ops/ops.html - 16k - Cached - Similar pages

G00000000008le > 1 2 3 4 5 6 7 8 9 10 Next

Result Page:

Free! Get the Google Toolbar. Download Now - About Toolbar



share form application update not Search



Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google ©2004 Google